



12

TRINA, 12
Cabled yoke pullover.
Funnel neck.
Deep ribbing at cuffs and hem.
Shown in framboise.

Vittadini Vol 28

TRINA

Cabled Yoke Pullover - 12

experienced

SIZES

To fit sizes Petite (Small-Medium-Large).
Shown in size Small.

FINISHED MEASUREMENTS

Bust at underarm: 33½ (38-43-48)"
Length to shoulder: 23½ (24-24½-25)"

MATERIALS

ADRIENNE VITTADINI Trina (50g ball)
#114 (Framboise) - 16 (18-21-23) balls
Size 8 circular needles, 16" and 39", **or**
size needed to obtain gauge.

Size 8 double pointed needles

Cable needle

Stitch holders

Stitch markers

GAUGE

20 sts and 26 rows to 4" in K6/P6 Rib; 20
sts and 28 rows in Cable Pat.

**To save time and to ensure accurate sizing,
check gauge.**

K1/P1 Rib (even # of sts, worked in the rnd)

All rnds: *K1, p1; rep from *.

K6/P6 Rib (mult of 12 sts, worked in the rnd)

All rnds: K3, *p6, k6; rep from *, end p6, k3.

BODY

With longer circular needle, cast on 156
(180-204-228) sts (tubular method used
for model). Join and pm for beg of rnd.
Work in K1/P1 rib for ¾", placing a second
marker for side "seam" so there are 78
(90-102-114) sts each for front and back.
Change to K6/P6 Rib and inc 12 sts evenly
spaced on first rnd (6 sts on front and 6
sts on back) - 168 (192-216-240) sts; 84
(96-108-120) sts each for front and back.

Waist shaping (dec): K1, k2tog, work in rib
to 3 sts before side marker, ssk, k2, k2tog,
work to 3 sts before end of rnd marker,
ssk, k1. Work 7 rnds even.

Next (dec) rnd: K2tog, work in rib to 2 sts
before side marker, ssk, k2tog, work to 3
sts before end of rnd marker, ssk. Work 7
rnds even.

***Next (dec) rnd:** P1, p2tog, work in rib to 3
sts before side marker, ssp, p2, p2tog,
work to 3 sts before end of rnd marker,
ssp, p1. Work 7 rnds even. Rep from * 3
times more - 144 (168-192-216) sts.

Waist shaping (inc): P1, M1-p, work to 1 st
before side marker, M1-p, p2, M1-p, work
to 1 st before end of rnd marker, M1-p,
p1. Working incs into K6/P6 rib, rep incs
each side of markers every 6th rnd twice,

then every 4th rnd 3 times - 168 (192-
216-240) sts.

Work even until piece measures 12 (12-
13-13)".

Work in Chart A through rnd 28, ending 3
sts before end of last rnd.

Split for underarm (Rnd 29): Bind off last 3
sts of last rnd and 3 sts at beg of rnd,
work to 3 sts before next marker, bind off
6 sts, complete rnd - 156 (180-204-228)
sts; 78 (90-102-114) sts each for front
and back. Set aside.

SLEEVES (make 2)

With dpns, cast on 42 sts (tubular method
used for model). Join and pm for beg of
rnd. Work in K1/P1 rib for ¾". Change to
K6/P6 Rib and inc 6 sts evenly spaced on
first rnd - 48 sts. Work until piece meas-
ures 4".

Sleeve (inc) rnd: K1, M1, work to last st
before marker, M1, k1. Working incs into
K6/P6 Rib, rep inc rnd every 6th (6th-4th-
4th) rnd 11 (11-17-17) times more - 72
(72-84-84) sts. Work even until piece
measures 14¼ (15½-16¼-16¾)".

Work in Chart A through rnd 28, ending 3
sts before end of last rnd.

Split for underarm (Rnd 29): Bind off last 3
sts of last rnd and 3 sts at beg of rnd,
complete rnd - 66 (66-78-78) sts. Set aside.

Join for yoke: Return to body piece.



Starting with Rnd 30 of Chart A, pick up
yarn where left off at underarm opening,
pm for beg of rnd. Pick up first sleeve
and attach to body by k2tog (first 2 sts of
sleeve) work in pat to last 2 sts of sleeve,
ssk, pm, k2tog (first 2 sts of front), work
in pat to last 2 sts of front, ssk, pick up
second sleeve, pm, k2tog (first 2 sts of
sleeve), work to last 2 sts, ssk, pm, k2tog
(first 2 sts of back), work in pat to last 2
sts, ssk. Work in pat for 2 rnds more,
decreasing 1 st each side of markers on
both rnds - 264 (288-336-360) sts.

Est Yoke Chart B: K 3 sts and replace mark-
er for beg of rnd. Remove other markers.

Work Chart B, decreasing as noted on
chart and working 4 rnd cable 0 (1-2-3)
times as noted. Change to shorter circular
needle when necessary - 66 (72-84-90)
sts rem after chart is completed. Work in
k2/p2 rib, dec 2 (4-12-14) sts on first rnd
- 64 (68-72-76) sts. Work in rib for 1".
Bind off in rib.

FINISHING

Sew underarm seams. Weave in all ends.



- KEY**
Read chart from right to left while working in the rnd.
- = K on RS, p on WS
 - = p2tog
 - = P on RS, k on WS
 - = no st
 - = Sl 3 sts to cn and hold in back, k3, k3 from cn.
 - = Sl 3 sts to cn and hold in front, k3, k3 from cn.
 - = Sl 2 sts to cn and hold in front, k3, k1 from cn, sl last st back to LHN and ssk.
 - = Sl 2 sts to cn and hold in front, k3, k2 from cn.
 - = Sl 2 sts to cn and hold in front, k2, k1 from cn, sl last st back to LHN and ssk.
 - = Sl 2 sts to cn and hold in back, k3, k2 from cn.
 - = Sl 3 sts to cn and hold in front, k2, k3 from cn.
 - = Sl 1 st to cn and hold in back, k3, k1 from cn.
 - = Sl 3 sts to cn and hold in front, k1, k3 from cn.
 - = Sl 2 sts to cn and hold in front, k2, k2 from cn.
 - = Sl 2 sts to cn and hold in front, k1, k1 from cn, sl last st back to LHN and ssk.
 - = Sl 1 st to cn and hold in front, k1, sl st from cn back to LHN and ssk.

